
DK2.5N - CP - DIN Rail - 상품코드 : 010101332



*DK2.5N - CP는 Screw connection 타입의 딘레일 단자대입니다.
*DK2.5N - CP, 300V, 6A

제품 상세 정보 (Product Features)

* 추가제품옵션탭 에서 Pole수 선택사용 가능합니다.
이 제품은 필요로 하는 어플리케이션에 맞추어 원하는 색상 주문 가능 한 품목입니다.

※ 유의사항
상기 제품에 첨부된 데이터시트는 참고용입니다.
자세한 데이터시트를 원하실 때에는 당사에 문의 바랍니다.

핵심 정보 (Key information)

허용전압	300V
허용전류	6A


기술데이터


Technical Data	
UL UG Group	B
Conductor cross - section,soild	22~12(AWG)/ 0.34~4mm ^{2}
Conductor cross - section,flexib	22~12(AWG)/ 0.34~2.5mm ^{2}
RATED IMPULSE VOLTAG	6KV
TORQUE	0.4
SCREW	M2.5
WIRE STRIP LENGTH	9~11mm
INSULATING MATERIAL	PA

TEL: 02 - 716 - 6737~8 FAX: 02 - 701 - 8424 E - mail: webmaster@dongyangele.co.kr www.dongyangele.co.kr

Specifications are subject to change without notice. Specifications in this catalog are just for reference. The detail specification and drawing sheets will be provided upon request. Copyright. 2013 DONGYANG Electronic Inc. All rights reserved

Drawing





circuit diagram

Dimension

카테고리	Disconnect terminal blocks
색상	Grey (default)
커넥션방식	Screw connection
락킹타입	Rail mounting
길이 (mm)	5.1
너비 (mm)	40.7
높이 (mm)	60.7
단수	Single level
커넥션 개수	2

기본 정보

원자재 정보

절연자재	PA
절연자재 그룹	I
UL 94에 따른 난연등급	V0

원자재 정보

TEL: 02 - 716 - 6737~8 FAX: 02 - 701 - 8424 E - mail: webmaster@dongyangele.co.kr www.dongyangele.co.kr

Specifications are subject to change without notice. Specifications in this catalog are just for reference. The detail specification and drawing sheets will be provided upon request. Copyright. 2013 DONGYANG Electronic Inc. All rights reserved

커넥션 데이타-UL	
정격전압(UL/CUL Group B)(V)	300
정격전류(UL/CUL Group B)(A)	6
UL/CUL 규격에 따른 최소단선 AWG	22
UL/CUL 규격에 따른 최대단선 AWG	12
UL/CUL 규격에 따른 최소연선 AWG	22
UL/CUL 규격에 따른 최대연선 AWG	12

커넥션 데이타 - UL

TEL: 02 - 716 - 6737~8 FAX: 02 - 701 - 8424 E - mail: webmaster@dongyangele.co.kr www.dongyangele.co.kr

Specifications are subject to change without notice. Specifications in this catalog are just for reference. The detail specification and drawing sheets will be provided upon request. Copyright. 2013 DONGYANG Electronic Inc. All rights reserved